http://groups.csail.mit.edu/vision/courses/6.869/

MIT CSAIL

6.869: Advances in Computer Vision

MIT COMPUTER VISION

Instructors Antonio Torralba
TA Jianxiong Xiao

Lecture TR 1:00PM - 2:30PM (3-333)

Assignments

- Problem sets (2/3)
  - Almost weekly
  - Graded as 1-3
  - Late policy
  - Collaboration policy
- Final project (1/3)
  - Project proposal
  - 5min class presentation
  - Report
- No exams or quizzes

Readings

http://groups.csail.mit.edu/vision/courses/6.869/materials.html





Matlab Tutorial

Friday Sep 7

- If you are a Matlab expert, no need to attend.

MIT CSAIL

6.869: Advances in Computer Vision

MIT COMPUTER VISION

Lecture 1

A Simple Vision System

What is vision?

- What does it mean, to see? "to know what is where by looking".
- How to discover from images what is present in the world, where things are, what actions are taking place.

from Marr, 1982

The importance of images

Some images are more important than others

"Dora Maar au Chat"
Pablo Picasso, 1941

100 million $



NSF Frontiers in computer vision workshop, 2011

Why is vision hard?

The structure of ambient light



The structure of ambient light



The Plenoptic Function

Adelson & Bergen, 91



The intensity P can be parameterized as:

$$P(\theta, \phi, \lambda, t, X, Y, Z)$$

"The complete set of all convergence points constitutes the permanent possibilities of vision." Gibson

Why is vision hard?

Measuring light vs. measuring scene properties

We perceive two squares, one on top of each other.

Measuring light vs. measuring scene properties



by Roger Shepard (”Turning the Tables”)

Depth processing is automatic, and we can not shut it down…

Measuring light vs. measuring scene properties



Edward H. Adelson

Measuring light vs. measuring scene properties



Measuring light vs. measuring scene properties



Assumptions can be wrong



Ames room

By Aude Oliva

Why is vision hard?

Some things have strong variations in appearance






Some things know that you have eyes

Brady, M. J., & Kersten, D. (2003). Bootstrapped learning of novel objects. J Vis, 3(6), 413-422

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
PROJECT MAC

Artificial Intelligence Group July 7, 1966
Vision Memo. No. 100.

THE SUMMER VISION PROJECT

Seymour Papert

The summer vision project is an attempt to use our summer workers effectively in the construction of a significant part of a visual system. The particular task was chosen partly because it can be segmented into sub-problems which will allow individuals to work independently and yet participate in the construction of a system complex enough to be a real landmark in the development of "pattern recognition".

Problem set 1
The “one week” vision project

The goal of the first problem set is to solve vision

A Simple Visual System

- A simple world
- A simple image formation model
- A simple goal

A Simple World

A Simple World

MACHINE PERCEPTION OF THREE-DIMENSIONAL SOLIDS

by

LAWRENCE GILMAN ROBERTS

Submitted to the Department of Electrical Engineering on May 10, 1963, in partial fulfillment of the requirements for the degree of Doctor of Philosophy.

The problem of machine recognition of pictorial data has long been a challenging goal, but has seldom been attempted with anything more complex than alphabetic characters. Many people have felt that research on character recognition would be a first step, leading the way to a more general pattern recognition system. However, the multitudinous attempts at character recognition, including my own, have not led very far. The reason, I feel, is that the study of abstract, two-dimensional forms leads us away from, not toward, the techniques necessary for the recognition of three-dimensional objects. The per-



Complete Convex Polygons. The polygon selection procedure would select the numbered polygons as complete and convex. The number indicates the probable number of sides. A polygon is incomplete if one of its points is a collinear joint of another polygon.

http://www.packet.cc/files/mach-per-3D-solids.html

A Simple World





A simple image formation model

Simple world rules:

- Surfaces can be horizontal or vertical.
- Objects will be resting on a white horizontal ground plane



A simple image formation model



Perspective projection



Parallel (orthographic) projection

A simple image formation model



(right-handed reference system)

A simple image formation model



Image and projection of the world coordinate axes into the image plane



World coordinates

$$x = X + x_0$$

$$y = \cos(\theta)\, Y - \sin(\theta)\, Z + y_0$$

image coordinates

A simple goal

To recover the 3D structure of the world



We want to recover X(x,y), Y(x,y), Z(x,y) using as input I(x,y)

Why is this hard?



Figure 1. (a) A line drawing provides information only about the x, y coordinates of points lying along the object contours. (b) The human visual system is usually able to reconstruct an object in three dimensions given only a single 2D projection (c) Any planar line-drawing is geometrically consistent with infinitely many 3D structures.

Sinha & Adelson 93

A simple visual system
The input image





• Proposition 1. The primary task of early vision is to deliver a small set of useful measurements about each observable location in the plenoptic function.

• Proposition 2. The elemental operations of early vision involve the measurement of local change along various directions within the plenoptic function.

Adelson, Bergen. 91

• Goal: to transform the image into other representations (rather than pixel values) that makes scene information more explicit



Cavanagh, Perception 95

Edges


Occlusion
Change of
Surface orientation
Contact edge
Horizontal 3D edge
Vertical 3D edge
Shadow boundary

Finding edges in the image

Image gradient:

$$\nabla \mathbf{I} = \left(\frac{\partial \mathbf{I}}{\partial x}, \frac{\partial \mathbf{I}}{\partial y} \right)$$

Approximation image derivative:

$$\frac{\partial \mathbf{I}}{\partial x} \simeq \mathbf{I}(x, y) - \mathbf{I}(x-1, y)$$

Edge strength $E(x, y) = |\nabla \mathbf{I}(x, y)|$

Edge orientation: $\theta(x, y) = \angle \nabla \mathbf{I} = \arctan \frac{\partial \mathbf{I}/\partial y}{\partial \mathbf{I}/\partial x}$

Edge normal: $\mathbf{n} = \frac{\nabla \mathbf{I}}{|\nabla \mathbf{I}|}$

Finding edges in the image



$$\nabla \mathbf{I} = \left(\frac{\partial \mathbf{I}}{\partial x}, \frac{\partial \mathbf{I}}{\partial y} \right) \qquad \mathbf{n} = \frac{\nabla \mathbf{I}}{|\nabla \mathbf{I}|}$$





Edge classification

- Figure/ground segmentation



- Occlusion edges
  - Occlusion edges are owned by the foreground



- Contact edges



From edges to surface constraints

- Ground



Y(x,y) = 0 if (x,y) belongs to a ground pixel

- Contact edge



Y(x,y) = 0 if (x,y) belongs to foreground and is a contact edge

Next, things get a bit more complicated.

Generic view assumption



Generic view assumption: the observer should not assume that he has a special position in the world… The most generic interpretation is to see a vertical line as a vertical line in 3D.

Freeman, 93

Non-accidental properties



D. Lowe, 1985



Figure 4. Five nonaccidental relations. (From Figure 5.2, *Perceptual organization and visual recognition* [p. 77] by David Lowe. Unpublished doctorial dissertation, Stanford University. Adapted by permission.)

Biederman_RBC_1987

Non-accidental properties in the simple world







Using E(x,y)



Using θ(x,y)

From edges to surface constraints

- Vertical edges



$$x = X + x_0$$

$$y = \cos(\theta)\, Y - \sin(\theta)\, Z + y_0$$

Z = constant along the edge

$$\partial Y / \partial y = 1 / \cos(\theta)$$

From edges to surface constraints

- Horizontal edges



$$x = X + x_0$$

$$y = \cos(\theta)\, Y - \sin(\theta)\, Z + y_0$$



Y = constant along the edge

$$\partial Y / \partial \mathbf{t} = 0$$

Where **t** is the vector parallel to the edge

$$\mathbf{t} = (-n_y, n_x)$$

$$\partial Y / \partial \mathbf{t} = -n_y \partial Y / \partial x + n_x \partial Y / \partial y$$

From edges to surface constraints

- What happens where there are no edges?



Assumption of planar faces:

$$\begin{aligned} \partial^2 Y/\partial x^2 &= 0 \\ \partial^2 Y/\partial y^2 &= 0 \\ \partial^2 Y/\partial y \partial x &= 0 \end{aligned}$$

Information has to be propagated from from the edges

A simple inference scheme

All the constraints are linear

$Y(x,y) = 0$ if (x,y) belongs to a ground pixel

$$\partial Y/\partial y = 1/\cos(\theta)$$ if (x,y) belongs to a vertical edge

$$\partial Y/\partial \mathbf{t} = 0$$ if (x,y) belongs to an horizontal edge

$$\begin{aligned} \partial^2 Y/\partial x^2 &= 0 \\ \partial^2 Y/\partial y^2 &= 0 \\ \partial^2 Y/\partial y \partial x &= 0 \end{aligned}$$ if (x,y) is not an edge

Discrete approximation

We can transform every differential constrain into a discrete linear constraint on Y(x,y)

Y(x,y)

111	115	113	111	112	111	112	111
135	138	137	139	145	146	149	147
163	168	188	196	206	202	206	207
180	184	206	219	202	200	195	193
189	193	214	216	104	79	83	77
191	201	217	220	103	59	60	68
195	205	216	222	113	68	69	83
199	203	223	228	108	68	71	77

$$\frac{dY}{dx} \approx Y(x,y) - Y(x-1,y)$$

-1	1

A slightly better approximation

(it is symmetric, and it averages horizontal derivatives over 3 vertical locations)

-1	0	1
-2	0	2
-1	0	1

Discrete approximation

Transform the “image” Y(x,y) into a column vector:

Y(x,y)



x=2, y=2

$$\frac{dY}{dx} \approx Y(x,y) - Y(x-1,y) = Y(2,2) - Y(1,2) =$$



A simple inference scheme



$$A\,Y = b$$

$$Y = (A^T A)^{-1} A^T b$$

Results



Edge normals



Edge strength



3D orientation



Contact edges



Depth discontinuities





Changing view point

Input



New view points:







Violations of simple world assumptions

Shading is due to painted stripes



Violations of simple world assumptions



Shading is due to illumination

Violations of simple world assumptions



FIGURE 24.9 The impossible steps. On the left, the horizontal stripes appear to be due to paint; on the right, they appear to be due to shading.

Adelson, E.H. Lightness Perception and Lightness Illusions. In *The New Cognitive Neurosciences*, 2nd ed., M. Gazzaniga, ed. Cambridge, MA: MIT Press, pp. 339-351, (2000).

24 Lightness Perception and Lightness Illusions

EDWARD H. ADELSON

Impossible steps





Impossible steps





What is missing?

- Recognition